

Cover Collections

Technical specifications

Step




Possible applications	Viteco partitioning elements system, Syneo lounge furniture and Consento soft seating (only those with * marked)
Composition	100 % Trevira CS® flame-resistant polyester. Dyes do not contain heavy metals
Eco-friendly	Certified to EU Ecolabel Certified to OEKO-TEX® Standard 100
Width	140 cm usable width
Weight	470 g/lm
Protection from fire	IMO MSC 307(88) Annex 1 part 8 MED Certificate IMO DIN 4102 B1 NFP 92-503/504/505 M1 BS EN 1021 - 1&2 (Smouldering Cigarette and Match Flame Equivalent Test) BS EN 1021 1 (Smouldering Cigarette Test) BS 5852 Part 1 0,1 (Smouldering Cigarette and Match Flame Equivalent Test) BS 5852 Crib 5 ÖNORM B 3825-B1-B3800-Q1 UK FAR/JAR 25.853 (a) (i) (ii) BS 7176 Medium Hazard AM 18–NF D 60-013 CA TB 117-2013 Classe Uno UNI 9175 Class 1 I EMME DIN EN 13501-1 B-s1,d0 Note: Flame resistance depends on the components used
Light-fastness	8 (ISO 105–B02)
Friction resistance	Wet: 4, Dry: 5 (ISO 105–X12)
Abrasion resistance	100.000 (EN-ISO 12947-2 external certified)
Cleaning	Vacuum off regularly and wipe down with a damp cloth.

Step Melange



Possible applications	Viteco partitioning elements system, Syneo lounge furniture and Consento soft seating (only those with * marked)
Composition	100 % Trevira CS® flame-resistant polyester. Dyes do not contain heavy metals
Eco-friendly	Certified to EU Ecolabel Certified to OEKO-TEX® Standard 100
Width	140 cm usable width
Weight	470 g/lm
Protection from fire	IMO MSC 307(88) Annex 1 part 8 MED Certificate IMO DIN 4102 B1 NFP 92-503/504/505 M1 BS EN 1021 - 1&2 (Smouldering Cigarette and Match Flame Equivalent Test) BS EN 1021 1 (Smouldering Cigarette Test) BS 5852 Part 1 0,1 (Smouldering Cigarette and Match Flame Equivalent Test) BS 5852 Crib 5 ÖNORM B 3825-B1-B3800-Q1 UK FAR/JAR 25.853 (a) (i) (ii) BS 7176 Medium Hazard AM 18–NF D 60-013 CA TB 117-2013 Classe Uno UNI 9175 Class 1 I EMME DIN EN 13501-1 B-s1,d0 Note: Flame resistance depends on the components used
Light-fastness	8 (ISO 105–B02)
Friction resistance	Wet: 4, Dry: 5 (ISO 105–X12)
Abrasion resistance	100,000 (EN-ISO 12947-2 externally certified)
Cleaning	Vacuum off regularly and wipe down with a damp cloth.

Lucia YB

**Possible applications**

Viteco partitioning elements system

Composition

Made of 100 % recycled polyester. Dyes do not contain heavy metals

Eco-friendly

Certified to EU Ecolabel
 Certified to OEKO-TEX® Standard 100
 Certified to Indoor Advantage™ „Gold“

Width

170 cm usable width

Weight

260 g/lm

Protection from fire

EN 1021 - 1&2 Smouldering Cigarette Test & Match Flame Equivalent Test
 BS 7176 Low Hazard
 BS 476 Part 7 Class 1 (Adhered)
 EN 13501-1 Adhered Class B, s1, d0
 EN 13501-1 Un-adhered Class B, s1, d2

Note: Flame resistance depends on the components used

Light-fastness

6 (ISO 105–B02)

Friction resistance

Wet: 4, Dry: 4 (ISO 105–X12)

Cleaning

Vacuum off regularly and wipe down with a damp cloth.

Lucia CS



Possible applications	Viteco partitioning elements system
Composition	100 % Trevira CS® flame-resistant polyester. Dyes do not contain heavy metals
Eco-friendly	Certified to OEKO-TEX® Standard 100 Certified to OEKO-TEX® Standard 100 Certified to Indoor Advantage™ „Gold“ Made of 100 % recycled polyester
Width	170 cm usable width
Weight	260 g/lm
Protection from fire	EN 1021 - 1&2 Smouldering Cigarette Test & Match Flame Equivalent Test BS 7176 Low Hazard BS 476 Part 7 Class 1 (Adhered) EN 13501-1 Adhered Class B, s1, d0 EN 13501-1 Un-adhered Class B, s1, d2 Note: Flame resistance depends on the components used
Light-fastness	6 (ISO 105 – B02)
Friction resistance	Wet: 4, Dry: 4 (ISO 105 – X12)
Cleaning	Vacuum off regularly and wipe down with a damp cloth.

RePlay



Possible applications	Viteco partitioning elements system
Composition	100% Recycled Polyester
Eco-friendly	Certified to the EU Ecolabel Certified to OEKO-TEX® Standard 100 Certified to Indoor Advantage™ Gold
Width	170 cm usable width
Weight	380g/m2 ±5% (532g/lin.m ±5%)
Protection from fire	EN 1021 - 1 (cigarette) EN 1021 - 2 (match) BS 7176 Low Hazard BS 5852 Ignition Source 5 BS 7176 Medium Hazard DIN 4102 B1 NF D 60-013 ÖNORM B 3825 & A 3800-1 (over CMHR 58kg/m3 Foam) UNI 9175 Classe 1 IM EN 13501-1 Adhered Class B, s1, d0 EN 13501-1 Un-adhered Class B, s1, d0 NF P 92-507 M1 ,Note: Flame resistance depends on the components used
Light-fastness	4-6 (ISO 105 - B02)
Friction resistance	Wet: 4, Dry: 4 (ISO 105 - X12)
Abrasion Resistance	Heavy duty / 10 year guarantee Independently certified to ≥100,000
Cleaning	Vacuum off regularly and wipe down with a damp cloth.

Blazer



Possible applications	Viteco partitioning elements system, Syneo lounge furniture and Consento soft seating
Composition	100 % pure new wool. Dyes do not contain heavy metals
Eco-friendly	Certified to Indoor Advantage™ „Gold“ Quickly replaceable and compostable
Width	140 cm usable width
Weight	460 g/lm
Protection from fire	<p>EN 1021 - 1&2 Smouldering Cigarette Test & Match Flame Equivalent Test BS 7176 Low Hazard NF D 60-013 ÖNORM B 3825 & A 3800-1 (58kg/m3 CMHR Foam) UNI 9175 Classe 1 IM BS 476 Part 7 Class 1 (Adhered) EN 13501-1 Adhered Class B, s1, d0 BS 5852 Ignition Source 5 if equipped with FR BS 7176 Medium Hazard if equipped with FR BS 476 Part 6 Class 0 if equipped with FR (Adhered) EN 13501-1 Adhered Class B, s1, d0 if equipped with FR EN 13501-1 Un-adhered Class D, s2, d0 if equipped with FR BS 5867-2: Type B Curtains & Drapes if equipped with FR</p> <p>Note: Flame resistance depends on the components used</p>
Light-fastness	5 (ISO 105–B02)
Friction resistance	Wet: 4, Dry: 4 (ISO 105–X12)
Abrasion resistance	External certification with ≥ 50.000 rubbing cycles according to Martindale
Cleaning	Vacuum off regularly and wipe down with a damp cloth.

Era



Use options	Viteco Partitioning System, Syneo Lounge Furniture, Consento Seating Furniture and Streamo Office Chair Series
Composition	100 % polyester. Dyes do not contain heavy metals
Environmentally-friendly	In accordance with the OEKO-TEX® certificate Standard 100, in accordance with the Indoor Advantage™ “Gold” certificate,
Width	140 cm of usable width
Weight	320 g/m ² ± 5%
Fireproofing	EN 1021 - 1&2 (cigarette and match test) BS 7176 Low Hazard EN 13501-1 Adhered Class B, s1, d0 EN 13501-1 Un-adhered Class C, s1, d0
Colour fastness	5 (ISO 105–B02)
Rub fastness	Wet: 4, Dry: 4 (ISO 105–X12)
Abrasion resistance	≥100,000 cycles Martindale
Cleaning	Vacuum clean regularly, professional dry cleaning, alternatively wipe with a damp cloth

Tonal



Possible applications	Viteco partitioning elements system, Syneo lounge furniture and Consento soft seating
Composition	Made of 99 % recycled polyester and 1 % polyester. Dyes do not contain heavy metals
Eco-friendly	Certified to EU Ecolabel Certified to OEKO-TEX® Standard 100
Width	140 cm usable width
Weight	315 g/lm (Design 2490 Tonal) 385 g/lm (Design 2495 Tonal)
Protection from fire	CA TB 117-2013 ASTM E 84 Class I BS EN 1021 - 1&2 (Smouldering Cigarette and Match Flame Equivalent Test) BS EN 1021-1 (Smouldering Cigarette Test) BS 5852 Part 1 0,1 (Smouldering Cigarette and Match Flame Equivalent Test) BS 476 Part 7 Class 1 Note: The flame resistance depends on the components used
Light-fastness	8 (ISO 105–B02)
Friction resistance	Wet: 4, Dry: 5 (ISO 105–X12)
Abrasion resistance	Externally certified. Abrasion resistance 100,000 (EN-ISO 12947-2)
Cleaning	Vacuum off regularly and wipe down with a damp cloth.

Cord



Possible uses:	Consento Cucco Sofa
Composition:	88% polyester, 12% polyacrylic
Width:	140 cm of usable width
Weight:	540 g/lm
Protection from fire	EN 1021 - 2 (match)
Colour fastness:	4 (ISO 105–B02)
Rub fastness:	Wet: 5, dry: 5 (ISO 105–X12)
Abrasion resistance:	20,000 (EN-ISO 12947-2, certified externally)
Cleaning:	Vacuum clean regularly and wipe with a damp cloth

Torero thick leather



thick leather

Possible applications

Livorno, Lamezia, Savona, Cuneo as well as Cremona from the Consento soft seating series

Composition

Pigmented leather

Light-fastness

5 (ISO 105–B02)

Friction resistance

Wet: 4, Dry: 4 (ISO 105–X12)

Properties typical for such products and for wear and tear

A leather smell is normal at first. Natural characteristics, deviations in terms of structure and colour from the sample and within the seating group are unavoidable and typical for such products. Slight colour abrasion is possible at first with intensive colours.

Cleaning

In order to be able to make warranty claims, the upholstery must be cleaned at least twice every year using 3C long-term protection with deep penetration. In addition to this basic care every six months, weekly maintenance care is also very important. The soiling which occurs during day-to-day use must be eliminated by gently dusting with a dry, soft cloth.

skai® Parotega NF artificial leather



Use options

Syneo Lounge Furniture, Consento Seating Furniture and Streamo Office Chair Series

Description

skai® Parotega NF from provider Continental is a high quality skai® material with a classic leather grain. Due to its natural look and feel the material is barely distinguishable from genuine leather. It is particularly suitable for public buildings and facilities.

Composition

approx. 85 % PVC compound
approx. 15 % BW knit

Material properties

Reach-conformant, easy-to-clean, disinfectant-proof, blood and urine-proof, highly abrasion resistant, non-fade, durable, flame resistant, low-maintenance, tearproof and vegan.

Width

137 cm

Weight

780 +/- 50 g/m²)

Flame retardance

DIN EN 4102-B1
MVSS302
FAR 25853 12s
IMO FTPC 8 (certificate)
IMO FTPC 8 (internal)
Class Uno IM
ÖNORM 3800 B1
BS 5852-IS 5
BS 5852-IS 1
BS 5852-IS 0
EN 1021-2
EN 1021-1
AM18
NF M2
NF M1
DIN EN 4102-B2
DIN 53438

Colour fastness	DIN EN ISO 105-B02, level 7, cherry: * Fulfils DIN EN ISO 105-B02, level 6.
Rub fastness	DIN EN ISO 5470-2: > 300,000 Martindale inverse
Cleaning and care	In order to preserve the material properties of your skai® product you should regularly clean the surface of the material. For that purpose use a warm, mild soap solution and a microfibre cloth or a soft hand brush. Please do not use any chemical bleaches or cleaning agents with scouring properties. Please note that staining of the material by jeans or other textiles is excluded from any warranty.
Certificate	In accordance with the statutory regulations DIN EN ISO 9001 (quality management) DIN EN ISO 14001 (environment management) DIN EN ISO 50001 (energy management) 0161-20 IMO FTPC Part 8

skai® Pandoria Plus artificial leather



Use options	Syneo Lounge Furniture, Consento Seating Furniture and Streamo Office Chair Series
Description	<p>skai® Pandoria Plus from provider Continental is a high quality upholstery material whose fine micropore structure lends it a subdued look, which is enhanced by a tone-in-tone effect.</p> <p>Suitable for medical, fitness, wellness and physiotherapy facilities, as well as public buildings and catering establishments. skai® Pandoria Plus is antibacterial according to JIS Z 2801.</p>
Composition	<p>approx. 3 % PVC-PU finish</p> <p>approx. 12 % BW/PES knit</p> <p>85 % PVC compound</p>
Material properties	Reach-conformant, vegan, antibacterial, fulfils the German Medical Devices Act, oil and grease-resistant, perspiration-resistant, tearproof, highly abrasion resistant, durable, blood and urine-proof, disinfectant-proof, easy-to-clean, non-fade, low-maintenance and flame retardant.
Width	140 cm
Weight	800 +/- 50 g/m ²
Flame retardance	<p>DIN EN 4102-B2</p> <p>MVSS302</p> <p>IMO FTPC 8 (certificate)</p> <p>IMO FTPC 8 (internal)</p> <p>BS 5852-IS 1</p> <p>BS 5852-IS 0</p> <p>EN 1021-2</p> <p>EN 1021-1</p> <p>NF M2</p> <p>DIN 53438</p>

Colour fastness	DIN EN ISO 105-B02, level 6
Rub fastness	DIN EN ISO 5470-2: > 100,000 Martindale
Cleaning and care	<p>In order to preserve the material properties of your skai® product you should regularly clean the surface of the material. For that purpose use a warm, mild soap solution and a microfibre cloth or a soft hand brush. Please do not use any chemical bleaches or cleaning agents with scouring properties. Please note that staining of the material by jeans or other textiles is excluded from any warranty.</p>
Certificate	<p>In accordance with the statutory regulations DIN EN ISO 9001 (quality management) DIN EN ISO 14001 (environment management) DIN EN ISO 50001 (energy management) 0161-20 IMO FTPC Part 8</p>

ASSMANN BÜROMÖBEL GMBH & CO. KG
Heinrich-Assmann-Straße 11 · D-49324 Melle
Postfach 1420 · D-49304 Melle
Tel. +49(0)5422 706-0
info@assmann.de

www.assmann.de